

# FORECASTING DISCLOSURE OF CARDIOVASCULAR DISEASE USING MACHINE LEARNING

G. Sugendran and S. Sujatha

Department of Computer Science, Dr. G.R. Damodaran College of Science, India

## Abstract

*Data mining is a process that uses a combinational framework out of a supportable assessment and machine learning data collection development to eliminate hidden models from massive informative collections. Further, clinical data mining is a basic assessment field in light of its substance in the progression of numerous applications in the flourishing clinical benefits zone. However, considering the current occurrences around the globe, the coronary ailment radiates an impression of being the primary source. The ID of the probability of coronary disease in an individual is a tangled endeavor for clinical experts since it requires extended lengths of contribution and genuine clinical preliminaries to be considered. In this study, four data mining techniques for data collection, namely K-Nearest Neighbour, Random Forest, Decision Tree, Naive Bayes, are utilized to establish a figure model to evaluate and identify risk factors of coronary disease. primary goal of this preliminary inquiry is to determine the optimal representation count fitting for providing the highest level of precision when collecting data from regular and periodic individuals. With the assistance of the coronary disease benchmark dataset recovered from the UCI repository, an unstable setup was created for the evaluation of the show of counts. When compared to other estimations for coronary disease inference, Random Forest count achieves the highest accuracy with 90.16 %.*

## Keywords:

*Data Mining, Random Forest, Coronary Disease, Naive Bayes, KNN, Decision Tree*

## 1. INTRODUCTION

In everyday life, a number of factors have an impact on the human heart. Many issues are emerging in haste, and new cases of heart disease are now being discovered at an alarming rate. The heart is a critical organ in the body that syphons blood throughout the body for the blood sequence is essential, as well as its health is to be well-preserved for a long life in this day and age of stress. soundness of a person heart is assessed by their life experiences and is based on expert and particular observers [1].

More than 12 million people die each year as a consequence of multiple types of heart disorders, generally known as cardiovascular disease, according to the World Health Organization. Heart contaminations are influencing even young matured individuals in their 20-30 years of life expectancy. The rise in risk of cardiovascular disease between many young people might be because of poor nutritional habits, a lack of relaxation, a nervous flora, unhappiness, and other factors like obesity, poor eating habits, family history, hypertension, high blood cholesterol, inactive behaviour patterns, smoking. The analysis of cardiovascular disease is serious, and it is also the most difficult task in the clinical field.

The symptoms of cardiovascular disease are heavily influenced by a person sense of nervousness. A few manifestations are not easily eminent by the worldwide community. However, common adverse effects include chest pain, also known as angina or angina pectoris, which is common in many forms of cardiovascular disease. It occurs whenever a portion of the heart is deprived of oxygen. Angina is a condition that is triggered by stressful situations or physical effort and lasts for less than 10 minutes. Various kinds of cardiovascular disease can cause respiratory failure [2]. Heart failure symptoms are similar to angina symptoms, apart that they might occur while you are resting and are usually more dangerous. Heartburn is one of the most common symptoms of a cardiovascular event.

Suffocation can happen whenever heart is becoming too weak to even reflect pushing blood, which is caused by cardiovascular disease. Certain cardiac diseases go unnoticed for years, especially in the elderly and persons with diabetes. ‘Innate Coronary Illnesses’ refers to a variety of conditions. However, the overall side effect includes perspiring, a significant amount of fatigue, quick heartbeat and breathing, shortness of breath, and chest torment [3]. When the risk of respiratory failure or the possibility of cardiovascular disease is recognized early, it can help the patient avoid potential risk and take administrative measures. medical care industry has gradually been producing massive amounts of data regarding patients, as well as their sickness finding findings are frequently used to predict cardiovascular failures around the world. When the amount of data about cardiovascular disease is massive.

Data mining is the task of extracting the necessary dynamic data for future investigation or forecast. The data may be hidden and detectable without the use of data mining. Classification is a data mining approach that allows for the prediction of future results based on readily available data. Clinical data mining suggestions a probable resolution to organize the order methods and provides mechanized training on the dataset, which additional prompts in considering the covered designs in clinical data collections that are utilized for patient future state prediction. Data mining employs classification algorithms, which are critical in forecasting the probability of heart failure before event occurs. forecasting methods is prepared and tested for making forecast that determine individual perception of being influenced by cardiovascular disease.

The forecasts in this study are made using managed machine learning techniques. To make predictions, a similar investigation of the four data mining algorithms, specifically K-NN, RF, DT and NB, is utilized. Here, database from UCI Repository is utilized to identify cardiovascular disease forecasts. Whenever the cardiovascular disease database is used, the forecasts are created using the preparation model, which is derived from the grouping calculations. This model was developed to predict any type of cardiovascular disease.

## 2. RELATED WORK

Anoopkumar and Rahman [4] predicted to give a thorough review towards the investigation paper which would have talked about various Data mining techniques particularly the general used in vogue calculations efficient to the EDM setting. Developing models improving speculative demonstrations and improving institutional viability is the fundamental investigation. An interdisciplinary candid exploration territory that handles the advancement of strategies for investigating data emerging in academic pitches is recognized as Educational Data Mining (EDM). For compelling instruction arranging thus it gives inborn data on educating and learning measures. The results of these examinations provide knowledge into methods in this proposed approach [5], such as improving the educational cycle, forecasting understudy execution, correlating the accuracy of data mining calculations.

Tanvi Sharma et al. [6] research concentrates on separating the clinical administration structure using various Data mining request methods based on ML like WEKA and Rapid tractor, over public clinical consideration database. The precision of each data mining sequence of action technique used a standard for execution measures. The best method for explicit instructive assortment is chosen based on the highest level of accuracy [7].

For game data mining, the authors in [8] proposed adopting a business game log data contention system. The purpose of the game data mining argument is to advance game data mining research by making business game logs available to the general public. Game associations will go to any length, with the help of outside experts, to avoid sharing their game data. Investigators were tasked with developing and applying top-tier data mining methodologies to game log data. primary purpose of this proposed method was to anticipate whether a player will beat and mix throughout two periods wherein the strategy was modified from a month participation model to a permitted to play model. Significantly situated competitors used significant learning, tree boosting and straight backslide were the aftereffects of the resistance in the researchers and makers proposed approach.

In India, Early detection of heart disease increases survival rate; thus, this investigation work is intended to predict if the patient has coronary ailment using clinical data, which will aid in the end cycle. Using the heart sicknesses dataset, three managed AI figures explicitly KNN, Naive Bayes, and SVM are examined for precision. According to the preliminary findings, the Nave Bayes model predicts coronary disease with an accuracy of 86.6 % [8].

Almustafa [9] proposed FCBF, PSO, and ACO model achieves a precision score of 99.65% with KNN and 99.6% with RF. This paper may be the underlying stage in learning in the detection of coronary disease with customised learning, and it may be related to future research. There are additionally the contraptions used in this investigation, for example, the planning force of the PC, and thirdly quite far available for the assessment. This type of research necessitates cutting-edge resources and fitness in many fields.

The authors [10] studied the cardiovascular disease is a significant risk factor for larger group of people in this world Utilizing conventional Machine Learning Algorithms as well as modern Gradient Boosting methods the proposed method helps to

identify optimal subset of features for diagnostic testing A genetic algorithm used to optimise by 20% whereas the maintain model accuracy in this regard meta numerical optimization techniques used to predict and will get a better result.

## 3. BACKGROUND

Many people are affected by heart disease, which is the leading cause of death in the medical world. for reducing the cost of indicative tests, clinical findings must be capable, solid, and supported by PC procedures. Data mining is a product innovation that allows computers to create and categorize several types of credits. To predict coronary disease, this study uses grouping techniques. This part includes brief summaries of related issues like machine learning and its approaches, data pre-processing assessment estimations, and a representation of the database employed in this study.

## 4. MACHINE LEARNING

In recent years, ML has gotten the most significant and productive IT and man-made reasoning branches. It is not astounding that its applications are getting more significant gradually in each business area, consistently with new and all the more integral assets and results. Open source, creation-prepared systems, are adding to quite possibly the most inescapable democratization measures in IT history. From the ancient days, individuals have fabricated apparatuses and machines to improve the qualityand lessen the general exertion expected to finish various undertakings. Machine Learning is a designing methodology that gives the greatest significance to each strategy that increments or improves the inclination for evolving adaptively. The main goal of ML is to study, engineer, and improve numerical models which can be prepared with setting-related information, to derive the future, and to settle on the choice without complete information on all impacting components.




Fig.1. Types of Machine Learning

### 4.1 SUPERVISED LEARNING

A supervised scenario is characterized by the idea of an instructor or administrator, whose fundamental undertaking is to furnish the specialist with an exact proportion of its blunder. With

genuine calculations, this capacity is given by a preparation set comprised of couples. Gazing from this data, the specialist can address its boundaries to decrease the extent of a worldwide misfortune work. After every emphasis, if the calculation is adequately adaptable and information components are sound, the general accuracy increments the anticipated and expected qualities turns out to be near nothing. In a supervised situation, the objective is to prepare a framework that must likewise work with tests that have never been conducted.

## 4.2 UNSUPERVISED LEARNING

This methodology is based on the shortfall and the supreme error gauges. It is essential for evaluating how to group a group of components based on similarities. The model is ready to generate designs. It effectively anticipates concealed designs for any new information dataset, but after investigating data, it makes a decision from datasets to depict concealed designs. There are no reactions in the dataset when using this method. The grouping strategy is an example of an unaided learning process.

## 5. DATASET DESCRIPTION

The statLog dataset from the UCI store was used for this investigation. It is made of 13 features. The cardiovascular disease dataset recognized for the investigation work includes 270 comprehensive examples with no characteristics. The dataset is commonly used for a cardiovascular disease, such as common angina, abnormal angina, non-anginal torment, and asymptotic. The goal of this study is to forecast disease, which is the lowest serious of the infectious disease types. The patient age, which ranges from 29 to 65 years, is addressed by the characteristics, which is a numeric information category. The Cp is a criterion for determining the pain kind, which ranges from 1 to 4. trestbpd is a latent pulse that ranges from 92 to 100, fbs is a fasting glucose level that is either a 1 or a 0, indicating whether or not Boolean qualities are genuine. The resting electrocardiogram (restecg) is a realistic electrocardiogram with three cases ranging from 0 to 2 on the scale. The thalach, which ranges from 82 to 185, is the most severe pulse. exang is a Boolean value for activity-induced angina. disease is indeed the dataset objective class, indicating the occurrence of cardiovascular disease with a yes or no answer. Essentially, every one of the credits and their qualities is addressed in Table.1.

### 5.1 PRE-PROCESSING AND CLEANING THE DATA

One of the Data mining strategies is data preprocessing, which is utilized to change the fundamental information into a helpful and expert pattern. The information can have numerous trivial and missing parts. To deal with this part, Data cleaning is done. It includes treatment of misplaced data, noisy data, and many more. The present circumstance emerges when some information is missing in the data. It tends to be taken care of differently. The cardiovascular disease extraction can be performed by following the methods like as in Fig.1, which indicates the study procedure for structure an order model required for the expectation of the cardiovascular disorders in patients. The model structure a major methodology for doing the coronary illness forecast utilizing machine learning techniques. Cardiovascular disease dataset

preparing phase grouping calculations Random Forest, Decision Tree and Navie Bayes, and Execution Evaluation are all examples of decision tree classification model that have been prepared for testing are in the testing phase. K Nearest Neighbor, Random Forest, Decision Tree and Naïve Bayes are all Examples of decision tree. Forecast of cardiovascular disease new patient create expectations, a classifier should be created with the records, and after that a classification model should be created, which is then taken care of with other obscure records, and the expectation is created. The exploration strategy includes the performance Assessment of the three order calculations, such as Assessment using cross Approval and Assessment Using Rate split. The preparation and testing data is separated from cardiovascular disease in the cross approval by utilizing a few overlays. The rate split divides preparation and testing information into levels of data like 80% and 20% wherein 80% is utilized for training data, 20 % is utilized for testing. Here, training set incorporates preparing the three classification algorithms in particularly NB, DT and RF utilizing cardiovascular disease dataset, an also old model is gathered. Every one of three calculations is showed in segments given below.

Table.1. Attribute and Description of database utilized for research

Attribute Name	Description	Range
Age	Age	29-65
Sex	Sex	0 = female, 1= male
Cp	Chest pain	Typical angina=1, atypical angina=2, non-anginal pain=3, asymptomatic=4
trestbpd	Resting blood pressure	92-200
serumCho	Serum cholesterol	126-564
fbs	Fasting blood sugar level	Yes=1, No=0
restecg	Echocardiographic results at rest	Normal=0, having ST-T wave abnormality=1, definite left ventricular hypertrophy=2
thalach	Maximum heart rate	82-185
exang	Exercise induced angina	Yes=1, NO=0
oldpeak	Exercise – induced ST depression	71-202
peakslope	The slope of the peak exercise ST segment	1-3
Num Vessels	Number of vessels (0-3) colored by fluoroscopy	0-3
thal	The defect type of the heart	3=normal, 6=fixed defect, 7= reversible defect
Disease	Identification of heart failure	Yes=2, No=1

## 6. METHODOLOGY

The primary motivation for conducting this research is to develop a cardiovascular disease expectation model for predicting the occurrence of cardiovascular disease. Furthermore, the goal of this research is to determine the optimal order computation for determining the likelihood of cardiovascular disease in a patient.




Fig.1. Sequential chart of Proposed System

This study is validated by locating a report and reviewing it using the three classification algorithms, namely NB, DT, RF, at various stages of the assessment process. Despite the fact that these are commonly used machine learning algorithms, predicting cardiovascular illness is a crucial assignment that requires the highest level of precision. Henceforth, the four Machine learning techniques are produced at various levels and sorts of proposed methodologies. This will lead specialists and clinical experts to build up a greater pact and assist them with distinguishing a result for recognizing the better strategy for forecasting cardiovascular disease [11].

### 6.1 K-NEAREST NEIGHBORS CLASSIFICATION

The K-Nearest Neighbor calculation makes use of feature similarity to predict the estimations of new information focuses, which implies that the information point will be appointed based on how closely it coordinates with the focus training dataset. How it works by following the steps below

- Step 1:** Need a dataset for Executing Calculations. the initial step of KNN, should load the preparation as test data.
- Step 2:** Next, must select the estimation of *K*, such as Nearest information focuses on *K*-positive integer.
- Step 3:** Fill out the worksheets that correlate to every point in test data.
  - a. Using any of the following strategies, compute remoteness among test data and every line of training data. Euclidean, Manhattan or Hamming distance. The Euclidean method is utilized for finding the distance.
  - b. Currently, given distance esteem, sort them in ascending order.
  - c. It will select *K* lines from arranged exhibit.
  - d. It will now assign a class to the test point based on the line most successful class.

**Step 4:** End

A case is differentiated by a higher proportion of votes cast by its neighbours, and the case is relegated to the *K*-Nearest Neighbours class, as determined by distance work. when *K*=1, the case is assigned to the class of its closest neighbour.

**6.1.1 Distance Functions:**

$$\text{Euclidean Distance [3]} \sqrt{\sum_{i=1}^k (x_i - y_i)^2}$$

$$\text{Manhattan: } \sqrt{\sum_{i=1}^k |x_i - y_i|}$$

$$\text{Minkowski: } \left( \sqrt{\sum_{i=1}^k |x_i - y_j|^q} \right)^{\frac{1}{q}}$$

**6.1.2 Hamming Distance:**

It should also be noticed that respectively of the three distance measures is just legitimate for nonstop factors. In the occurrence of downright factors, the Hamming distance should be utilized. It likewise raises the issue of normalization of the mathematical factors somewhere in the range of 0 and 1 when there is a combination of mathematical and absolute factors in the dataset.

$$D_H = \sum_{i=1}^k |x_i - y_i|, \quad x = y \Rightarrow D = 0; \quad x \neq y \Rightarrow D = 1$$

Table.2. Combination of Absolute Factors

X	Y	Distance
Male	Male	0
Male	Female	1

## 6.2 RANDOM FOREST CLASSIFICATION

Random Forest is a supervised learning technique that can be used to solve problems as well as predict recurrence. It is, nevertheless, mostly employed for arranging problems. Trees make up a Random Forest, and the more trees there are, the denser the forest. Likewise, arbitrary forest methods allow Decision trees based on information tests and extract forecasts from each. Lastly, the voting system determines the best solution. It a clustering technique that outperforms Decision trees since it reduces overfitting by averaging the results.

During training, Random Forest build lot of separate decision trees. Forecast from all trees are mutual to produce the final expectations as the method of the modules for sorting of the mean forecast for regression. Ensemble techniques are so called because they use a variety of results to reach a final conclusion. The operation of the Random Forest calculation.

**Step 1:** Begin by selecting random examples from a dataset.

**Step 2:** For every instance, create a choice tree. The predicted outcome from every decision tree will then be displayed.

**Step 3:** In this progression, a ballot will be cast for each expected outcome.

**Step 4:** Final result, choose the utmost casted ballot forecast result. When you use the Random Forest Procedure to deal with relapse issues, apply MSE to how your data branches from every hub.

$$MSE = \frac{1}{N} \sum_{i=1}^N (f_i - y_i)^2$$

where

$N$  is total data points

$f_i$  is value returned by system

$y_i$  is actual value for data  $i$

When executing Random Forests based on grouping information, one must be conscious that the Gini file, or the recipe for selecting how hubs on a specific tree branch are distributed, is usually employed. This equation represents the Gini of every branch on a node based on the class and probability, deciding whichever branch is most likely to happen. The class overall incidence in the database is represented by  $\pi_i$ , while the number of modules is represented by  $c$ .

$$Gini = 1 - \sum_{i=1}^c (p_i)^2$$

Entropy utilizes the likelihood of a specific result to settle on a choice on how the hub should branch. Not at all like the Gini record, it is more numerical escalated because of the logarithmic capacity utilized in calculating it.

$$Entropy = - \sum_{i=1}^c p_i * \log_2(p_i)$$

## 6.3 DECISION TREE CLASSIFICATION

The decision tree analysis is a tool for exhibiting foresight that may be applied to a range of situations. An approach based on algorithms that can divide a dataset in a variety of ways based on the circumstances used to build decision trees. The most amazing computations in the supervised calculations category are decision

trees. It can be employed for classification as well as relapse detection. Choice hubs, which contain the data, and leaves, from which the result is obtained, are the two fundamental elements of a tree.

After constructing a Decision tree, we must form an expectation about it. Exploration of the Decision tree with the explicitly given line of information is essentially what expectation entails. As previously demonstrated, a forecast can be created with the assistance of recursive capacity A similar expectation function is invoked with the child left or right node.

### 6.3.1 Information Gain:

The method Information gain  $IG(A)$  is amount of transformation in entropy between before and after set  $S$  is divided on an attribute  $A$ . Alternatively, how much ambiguity in  $S$  was decreased after intense set  $S$  on attribute  $A$ .

$$IG(A, S) = H(S) - \sum_{t \in T} p(t)H(t)$$

where

$H(s)$  - Entropy of set

$T$  - Subsets created from splitting set  $S$  by attribute  $A$  so that

$$s = \bigcup_{t \in T} t$$

$p(t)$  - Subsets created from splitting set  $S$

$H(t)$  - Entropy of subset  $t$

The difference in entropy before and after a set is characterised as information gain in ID3. In other words, the value of uncertainty that was reduced as a result of the attribute splitting.

## 6.4 NAIVE BAYES CLASSIFICATION

The use of Bayesian hypothesis with the firm assumption that every one of the indicators is independent is what Naive Bayes classification is all about. Simply put, the assumption is that the existence of one element in a class is independent of the presence of another element in a related class. If a phone has a contact screen, a web office, a camera, and other functions, it may be deemed clever. Despite the fact that each of these characteristics is dependent on the others, they all contribute to the chance that the phone is a sophisticated mobile phone on their own.

The primary purpose of Bayesian classification is to determine the posterior probabilities, or the likelihood of a label given some observed characteristics. By using Bayes theorem, one can represent this mathematically as follows.

$$p(L | features) = \frac{P(L)P(features | L)}{P(features)}$$

where,

$p(L|features)$  is posterior probability of class;  $P(L)$  is prior probability of class;  $P(features|L)$  is likelihood that is probability of predictor given class and  $P(features)$  is prior probability of predictor

## 7. RESULT AND ANALYSIS

The goal of this study is to figure out if a patient will acquire cardiovascular disease or not. The investigation was conducted on UCI Repository using supervised AI classification procedures

such as Nave Bayes, choice tree, irregular woods, and K-Nearest neighbour. The Jupyter Notebook was used to direct various classifications utilising various classifier calculations (anaconda3). The project overall purpose is to employ data mining methods to better predict the occurrence of heart disease. In this research, the UCI data vault is utilized to examine four calculations: K-NN, RF, DT, NB. Random Forest has been tentatively determined to outperform K-NN, DT, NB depending on research. The dataset was classified and divided into two sets: preparation and test. To obtain an accuracy score, information is pre-processed and regulated classification procedures such as Nave Bayes, DT, K-NN, RF are utilized. The accuracy score effects of various classification methods were observed when the test informational indexes were prepared using Python programming. Accuracy scores for various algorithms are shown in Table.2.

Table.2. Percentage accuracy results of classification techniques

Accuracy	Naïve Bayes	K-Nearest Neighbour	Decision Tree	Random Forest
Test Score	85.25 %	59.02 %	81.97 %	90.16 %
Train Score	83.47 %	72.31 %	100.0 %	91.74 %

## 8. CONCLUSION AND FUTURE WORK

Overall objective is to define several data mining algorithms that can be used to forecast cardiovascular disease effectively. Our goal is to have a more well-organized and precise expectation with fewer traits and tests. In this investigation, 14 attributes were taken into interpretation. KNN, NB, DT, RF are the four different data mining methodologies used. The data was pre-processed and then employed in the approach. In this study, the techniques screening the best outcomes are K-nearest neighbour, random forest, and Nave Bayes.

The random forest algorithm was found to have the highest accuracy after executing four algorithms. This investigation can be expanded upon by incorporating other data mining strategies, for example, time arrangement, bunching and affiliation rules, SVM, GA. Restrictions of this work were identified as the need to execute more mind-boggling and diverse models in order to achieve higher precision for the early prediction of coronary illness.

## REFERENCES

- [1] A. Rairikar, V. Kulkarni, V. Sabale, H. Kale and A. Lamgunde, "Heart Disease Prediction using Data Mining Techniques", *Proceedings of International Conference on Intelligence Computing and Control*, pp. 1-8, 2018.
- [2] F.A.M. Al-Yarimi, and M.H.M. Bamashmos, "Feature Optimization by Discrete Weights for Heart Disease Prediction using Supervised Learning", *Soft Computing*, Vol. 25, pp. 1821-1831, 2021.
- [3] M.D. Samad, A. Ulloa and G.J. Wehner, "Predicting Survival from Large Echocardiography and Electronic Health Record Datasets: Optimization with Machine Learning", *JACC Cardiovascular Imaging*, Vol 12, No. 4, pp. 681-689, 2019.
- [4] M. Anoopkumar and A.M.J. Md Zubair Rahman, "A Review on Data Mining techniques and Factors used in Educational Data Mining to Predict Student Amelioration", *Proceedings of International Conference on Data Mining*, pp. 122-133, 2016.
- [5] R.B. Kulkarni, "Appraisal Management System using Data mining Classification Technique", *International Journal on Computer Applications*, Vol. 135, No. 12, pp. 45-50, 2016.
- [6] V. Tanvi Sharma, "Performance Analysis of Data Mining Classification Techniques on Public Health Care Data", *International Journal of Innovative Research in Computer and Communication Engineering*, Vol. 4, No. 6, pp. 1-14, 2016.
- [7] N.V. Kousik, M. Sivaram, and R. Mahaveerakannan, "Improved Density-Based Learning to Cluster for User Web Log in Data Mining", *Proceedings of International Conference on Inventive Computation and Information Technologies*, pp. 813-830, 2021.
- [8] S. Anitha, "Heart Disease Prediction using Data Mining Techniques", *Journal of Analysis and Computation*, Vol. 8, No. 2, pp. 1-13, 2019.
- [9] K. Almufata, "Prediction of Heart Disease and Classifiers' Sensitivity Analysis", *BMC Bioinformatics*, Vol. 21, N0. 2, pp. 1-13, 2020.
- [10] S.G. Kanakaraddi, K.C. Gull, J. Bali, A.K. Chikaraddi and S. Giraddi, "Disease Prediction using Data Mining and Machine Learning Techniques", *Lecture Notes on Data Engineering and Communications*, Vol. 64, pp. 71-92, 2021.
- [11] M. Sai Shekhar, Y. Mani Chand and L. Mary Gladence, "Heart Disease Prediction using Machine Learning", *Lecture Notes in Electrical Engineering*, Vol. 708, No. 11, pp. 603-609, 2021.